
User Manual

# Sandbox Smart F1 Filter



## **Product Specifications**

Product Model: Sandbox Smart F1
Product Size: 85x175x265-365 mm

Voltage: DC5.0VPower: 7.5W Product Net Weight: 725g

Color: Black


Material: The main body is high temperature PA plastic with ABS stand

Accessories: USB cable, 6 dust collection cloths (including 3 cloths in the machine)

#### **Product Features**

- Hot air can be quickly discharged. The dust collection cloth blocks the dust produced from roasting beans.
- USB connector saves power
- Strong exhaust, small in size, easy to store
- Cartridge design allows you to quickly replace dust collection cloth
- Weighted base provides more stability
- Free height adjustments between 26.5-36.5cm
- Adjustable universal angle of ventilation

#### **Description of each part**



#### **Instructions**

- It is recommended to pair Sandbox Smart F1 Filter with a coffee bean roaster. When the
  coffee bean roaster is on, turn on the filter and align the coffee bean roaster's
  ventilation inlet with the ventilation outlet. The hot air from the coffee bean roaster is
  quickly discharged by the moving fan of the filter and the dust collection cloth blocks
  the dust produced from roasting beans.
- 2. Please remove all packaging before use and assemble the stand and base.
- 3. Use the USB cable to connect to a power bank or use an USB-AC adapter for power supply.
  - (The AC adapter must be powered by an output voltage of 5V and current over 1.5A)
- 4. Turn on the power on the USB cable and the fan will start moving.
- 5. Please turn off power when not in use.
- 6. The dust collection cloth can be replaced by opening the base.

### **Safety Precautions**

- Please do not connect the USB power supply outside the voltage specification to avoid fire, heat and malfunction.
- 2. Do not use the USB Hub at the same time as other electrical appliances, as it may not work properly with other high power-consuming appliances.
- 3. Do not wash parts.
- 4. Do not wash the "dust collection cloth", as this will affect adsorption.
- Do not disassemble, transform, press, hit or drop the product to avoid injury, malfunction, or damage.
- 6. Please place it in a stable location.
- 7. Replacement will not be accepted after the product has been used, or damaged due to improper use.
- 8. Keep a distance of 1-2 cm when using the filter with a coffee bean roaster.
- 9. It is recommended to replace the dust collection cloth after it becomes dark brown.

  Please make adjustments according to how much dust is attached to the cloth and replace it when necessary to avoid affecting the performance and quality of the cloth.
- 10. Remove the power supply when replacing the dust collection cloth and cleaning.
- 11. Do not use volatile oil, thinner, alcohol or spray to wipe the machine or fan.
- 12. This product cannot be used in conjunction with open flames, ceramic hobs or halogen hobs (type of open flame).
- 13. To prolong product life, do not use for more than 2 hours at a time.
- 14. Do not touch the body when the product is in use.





| Qing UG | Undinenstr. 7, 12203 Berlin, Germany | pmdheinrich@gmail.com







**RoHS 2.0** 

















